
HARMONY GROVE WATER ASSOCIATION


FREEO CREEK & RELIEF STRS. & APPRS. JOB# 070508

BID PROPOSAL


ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1	1,860	L.F.	Furnish and Install labor and equipment for 6" C-900 PVC Water Main and Fittings including Trench Excavation, Laying, Bedding, Blocking and Backfilling per plans and specifications for the unit price of	\$	\$
2	150	L.F.	Bore and Encase 6" Water Main in 0.075" x 12" Steel Encasement per plans and specifications for the unit price of (Bore and Encase does include the pipe and steel encasement)	\$	\$
			Dollars and Cents/L.F		




ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
5	2	EA.	Furnish and Install 6"X6" M.J. Tapping Sleeve and Valve including valve box and blocking per plans and specifications for the unit price of	š	\$
6	1	EA.	Furnish and Install 4" Blow-Off Values with valve marker per plans and specifications for the unit price of Dollars and Dollars and Cents/EA.	6	\$



ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
9	3	EA	Furnish and Install and ³ ⁄ ₄ " Short Side Service including up to 30 feet of service line Connections to existing meters per plans and specifications for the unit price of	\$	\$
			Dollars and Cents/FA		
10	1	EA.	Furnish and Install 2" Highway Long Side Service including up to 120 feet of service line connections by Directional Bore to existing meters der mans and specifications for the unit price of Dollars and Cents/EA	\$	\$









ITEM QTY UNIT

DESCRIPTION

UNIT

TOTAL



NOTES

1) Miscellaneous items, directed work, connections, etc., not specifically listed but required to complete the proposed

improvements to a complete and operational system shall be included in the Bid under the most appropriate Bid Item.

2) Time required to complete base bid work shall be 360 valendar days.

3) Contractor is to perform and adhere to all requirements of the Storm Water Pollution Prevention Plan found in Exhibit "A" of the Technical Specs.

4) Contractor is solely responsible for the complete abandonment of all existing mains unless otherwise noted.