CTY OF LINDEN, TEXAS

BRONCO LANE & HORSESHOE BEND STREET REHABILITATION

BID PROPOSAL

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1	1	L.S.	Mobilization including preparatory work and operations, including but not limited to, movement of personnel, equipment, supplies, and incidentals to the project site for the lump sum price of the lu	\$	\$
2	860	S.Y.	Perform pulverizing of existing as malt surface including removal of top 2.0" of surface after pulverization. Includes pulverization and removal and dispersal of excavated material for the unit price of	\$	\$
			Dollars and Cents/S.Y.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
3	5350	S.Y.	Perform pulverizing of existing asphalt surface. Includes pulverization and removal and disposal of excavated material as needed for the unit price of		
			Dollars and Cents/S	\$	\$
5	75	S.Y.	Perform removal and replacement of existing a schall drive surface associated with the replacement of driveway culvert or sewer main installation in	\$	\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
6	70	S.Y.	Perform removal and replacement of existing concrete drive surface associated with the replacement of driveway culvert or sewer main installation including all grading and compaction for the unit price of Dollars and Cents/S.V.		\$
7	1	L.S.	Perform removal and disposal of various size and material stormdrain culverts for the lump sum process. Dollars and Cents/L.S		\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
8	1	L.S.	Perform debris and sediment removal for existing culverts and minor grading for grading to drain as necessary for the lump sum price of Dollars and	\$	\$
9	900	L.F.	Perform cleaning and regrading of ditches for disches to have positive drainage for the unit price of	\$	\$
10	40	C.Y.	Perform unclassified excavation and removal of existing material, including removal and disposal of		
			existing materials as necessary per the plans for the unit price of	\$	\$
			Dollars and Cents/C.Y.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT	TOTAL
11	25	C.Y.	Provide and install compacted embankment including all labor, hauling, materials, compaction and incidentals required as needed and described in the plans and specifications for the unit price of	\$	\$
			Dollars and Cents/C		
12	7000	S.Y.	Perform cement stabilization for (8" Depth) at a late of 40 lb/sy including all equipment, materials, and labor for mixing, watering, microcracking and final compaction of base per plans and specifications for the unit price of Dollars and Cents/S.Y. P-6	\$	\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
13	6400	S.Y.	Dollars and C	\$	\$
14	33	L.F.	Provide and install concrete swale as taquired in accordance with the plans and specifications for the unit price of Dollars and Cents/L.F.	\$	\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT	TOTAL
				PRICE	PRICE
15	84	L.F.	Furnish and intall 12" RCP per the plans and specifications for the unit price of Dollars and Cents I.		\$
16	1	E.A.	Furnish and intall 3'x3' concrete inlet w/2'x3' grave ver the plans and specifications for the untopice of \$		\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
17	1	E.A.	Furnish and intall cast-in-place concrete headwall per the plans and specifications for the unit price of	\$	\$
18	53	S.Y.	Dollars and Cents F.A. Furnish and install rock rip-rap (12") slope		
			stabilization including the installation of geolegical fabric as required by the plans and specifical to geolegical the state of the locations shown in the plans for the state price of	\$	\$
			P-9		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
19	1	L.S.	Provide and install manhole, cleanout and valve adjustments to bring to finished grade for the lump sum price of	\$	\$
			Dollars and Cents/Line		
20	0.5	AC	Provide and install hydroseeding at all disturbed areas within the Downtown West Streets project access as necessary to establish permanent vegetation in accordance with TXDOT seeding and tertilizes requirements for site soil type and season for the unit price of Dollars and Cents/AC P-10	\$	\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
21	1	L.S.	Furnish and install traffic control devices, including but not limited to, installing, maintaining, and removing traffic control devices according to the plans and specifications for the lump sum price of	\$	\$
22	1	L.S.	Perform Testing of materials, compaction, or other items requested by the Engineer and performed by an approved laboratory with a project allowance of \$4,000 per the project plans and specifications for the lump price of Dollars and Cents/LS	\$ <u>4,000.00</u>	\$ <u>4,000.00</u>

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
23	1	L.S.	Abandon in place existing sewer main including excavation, plugs and work necessary for the abandonment of sewer mains for the lump sum price of	<u> </u>	\$
24	1	E.A.	Provide and install connection to existing manhole by core drilling including all labor and experient, grouting, excavation and testing per the plans and specificaitons for the unit price of Dollars and Cents/E.A.	;	\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
25	3	EA.	Re-connect long side sewer service connection to proposed sewer main including locating of connections and any necessary earthwork required, piping and fittings as described in the plans and specifications per each	\$	\$
			Dollars and Cents/EX		
26	3	EA.	Re-connect short side sewer service connection to proposed sewer main including locating of connections and any necessary earthwork required, piping and fittings as described in the plans and specifications per each Dollars and Cents/EA	\$	\$
			P-13		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
27	487	L.F.	Provide and install 8" SDR-26 sewer main and fittings including trench excavation, laying, bedding, tape, grouting and backfilling per plans and specifications for the unit price of \$		\$
			Dollars and Cents/L.F		
28	20	C.Y.	Provide and install gravel embedment when unfavorable soil conditions are encountered as approved by the Engineer including all abort harding, materials, compaction and incidentals required as needed and described in the plans and specifications for the unit price of Dollars and Cents/C.Y.		\$

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
29	1	EA.	Provide and install connection to existing sewer main to proposed manhole as shown in the plans and specifications for the unit price of		\$
30	2	EA.	Provide and install 4-ft diameter concrete markele with cast iron ring and cover including alk labor material and equipment for the installation as shown in the plans and specifications for the unit price of \$		\$
			Dollars and Cents/EA.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
31	11	V.F.	Provide and install extra vertical manhole depth including all labor, material and equipment for the installation as shown in the plans and specifications for the unit price of		\$
			for the unit price of Dollars and Cents ().		Φ
32	1	L.S.	Provide and install trench protection as required in accordance with the plans and specifications for the lump sum price of		\$
			Dollars and Cents/L.S.		

ITEM	QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
33	200	L.F.	Perform cleaning and video inspection of sewer main south of project as indicated on the plans and provide Engineer with electronic copy of video file and any inspection documents for the unit price of	\$	\$
34	1	L.S.	Install & maintain erosion control measures as shown on the Erosion Control Plan including silk tensing, inlet protection, rock dam, seeding, and other controls as necessary to limit existen	\$	\$
			throughout the project and establish a mimum of 70% permanent vegetation for the jump sum price of Dollars and	Ψ	Ψ
			Cents/L.S.		
			TOTAL OF ITEMS	S 1-34 \$	

NOTES: Contractor shall submit bids and hold price for a period of no more than 60 days from the bid opening. All work shall be done in accordance with TCEQ requirements and permits as provided in the specifications.

Items that are subsidiary to performing the work shall include all labor, equipment, and materials shall be supplied by the contractor. Existing utilities and improvements shall be protected during construction and contractor shall coordinate with City of Linden Utility Department for existing utilities encountered. Protection measures shall be approved by the engineer prior to construction.

Haul routes approved designated by the city shall be restored to organize upon completion of the work. This area is not included in seeding / revegetation and shall be considered about to the work.