

2024 Street Rehabilitation


City of Texarkana, Arkansas

BID PROPOSAL
SCHEDULE A: DRAUGHN STREET

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	970 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for mixing, watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
2.	6,230 SY	Perform asphalt pavement milling (2" thick) of existing Street surface (contractor retain millings) to include all Labor, equipment, and transportation in accordance with Plans and specifications for the unit price of _____ Dollars and _____ Cents/SY		

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
3.	7,136 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____
4.	23 SY	Remove & Replace Concrete Valley Gutter (6" thick) With reinforcement (#4 bar @ 18" O.C. E.W.) including All labor, and equipment as noted in the plans for the the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____
5.	1 EA	Perform Replacement of Curb Inlet (Concrete 5'x5') Including excavation, removal, sawcutting, labor, equipment, Backfill, as noted in the plans and specifications for the unit price of _____ Dollars and _____ Cents/EA.	\$ _____	\$ _____



BID PROPOSAL
(Cont'd)


<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
6.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$2,500 per the Project plans and specifications for the lump price of <u> TWO Thousand FIVE Hundred </u> Dollars and <u> Zero </u> Cents/LS	<u> \$ 2,500.00 </u>	<u> \$ 2,500.00 </u>
7.	24 SY	Perform removal of existing concrete patches for The purpose of cement stabilization. This shall include removal of existing patch, replacement with crushed stone, all labor and equipment as shown in the plans and specifications for the unit price of <u> </u> Dollars and <u> </u> Cents/SY	<u> \$ </u>	<u> \$ </u>

BID PROPOSAL
(Cont'd)

8. 1 LUMP SUM Provide and Install Street Pavement Markings
(centerline and stop bars) upon completion of
Paving to include all labor, material and equipment
as shown in the plans and specifications for the
lump sum price of

_____ Dollars and
_____ Cents/LS \$ _____ \$ _____

SCHEDULE A: TOTAL OF ITEMS 1-8 \$ _____



BID PROPOSAL
SCHEDULE B: HASTINGS CROSSING


<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
9.	23,560 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
10.	21,410 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
11.	4,900 LF	Perform fine grading of ditchline to ensure positive Drainage and remove excess silt as noted in the plans for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
12.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$3,500 per the Project plans and specifications for the lump price of <u>THREE Thousand</u> Dollars and <u>Zero</u> Cents/LS	\$ <u>3,000.00</u>	\$ <u>3,000.00</u>

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
13.	600 SY	Provide and Install Select Fill Material (as approved By Owner), 24" depth, including disposal of existing material, compaction, traffic control, excavation, materials, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____
14.	130 LF	Provide and Install 12" HDPE (N-12 dual wall pipe) (driveway) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____




BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
15.	60 LF	Provide and Install 15" HDPE (N-12 dual wall pipe) (driveway / street) to include removal of existing Culvert, excavation, materials, backfill with flowable fill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____
16.	80 LF	Provide and Install 18" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill with flowable fill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____


BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
17.	28 LF	Provide and Install 24" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill with flowable fill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____
18.	26 LF	Provide and Install 30" HDPE (N-12 dual wall pipe) (driveway crossing) to include removal of existing Culvert, excavation, materials, backfill with flowable fill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____



BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
19.	1,600 SF	Provide and Install Concrete Pavement (5" thk) With No. 3 bars at 18" O.C.E.W., to include sawcutting, Bedding, dowel to existing slab, all labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SF	\$ _____	\$ _____
20.	1,340 SF	Provide and Install Rock Rip-Rap (8" typ) to include 5 oz woven geotextile fabric, all labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SF	\$ _____	\$ _____
TOTAL OF ITEMS 9-20			\$ _____	



BID PROPOSAL
SCHEDULE C: MANOR WAY

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
21.	11,874 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
22.	1560 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 10-inches, Furnish & Install Quick Lime (TY C) and Mix existing base at a rate of 40 lb/sy, To include all labor and equipment needed for watering, compaction, shaping in accordance with the project specifications and plans for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____

BID PROPOSAL
(Cont'd)


<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
23.	10,864 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____
24.	1,370 LF	Perform fine grading of ditchline to ensure positive Drainage and remove excess silt as noted in the plans for the unit price of _____ Dollars and _____ Cents/L.F.	\$ _____	\$ _____
25.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$4,000 per the Project plans and specifications for the lump price of _____ Four Thousand _____ Dollars and _____ Zero _____ Cents/LS	\$ 4,000.00	\$ 4,000.00

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
26.	600 SY	Provide and Install Select Fill Material (as approved By Owner), 24" depth, including disposal of existing material, compaction, traffic control, excavation, materials, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____
27.	70 LF	Provide and Install 15" HDPE (N-12 dual wall pipe) (driveway) to include removal of existing Culvert, excavation, materials, backfill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
28.	70 LF	Provide and Install 18" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill with flowable fill, all labor and equipment as shown in the plans and specifications for the unit price of _____ Dollars and _____ Cents/LF	\$ _____	\$ _____
TOTAL OF ITEMS 21-28			\$ _____	



BID PROPOSAL
SCHEDULE D: OLD BOYD ROAD

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
29.	3,132 S.Y.	Perform pulverizing of existing asphalt surface And base to a depth of 8-inches, Furnish & Install Cement and Mixing of existing base at a rate of 40 pounds per square yard. To include all labor and Equipment needed for watering, compaction, shaping In accordance with the project specifications and Plans for the unit price of _____ Dollars and _____ Cents/S.Y.	\$ _____	\$ _____
30.	2,840 SY	Provide and Install ACHM Surface Mix (2" compacted depth) including prime coat All labor and equipment as required per the plans and specifications for the unit price of _____ Dollars and _____ Cents/SY	\$ _____	\$ _____

BID PROPOSAL
(Cont'd)

<u>ITEM</u>	<u>QTY/UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
31.	1 LS	Perform Testing of materials, compaction, Or other items requested by the Engineer And performed by an approved laboratory With a project allowance of \$2,500 per the Project plans and specifications for the lump price of <u> TWO Thousand FIVE Hundred </u> Dollars and <u> Zero </u> Cents/LS	<u>\$ 2,500.00</u>	<u>\$ 2,500.00</u>
32.	30 LF	Provide and Install 18" HDPE (N-12 dual wall pipe) (street crossing) to include removal of existing Culvert, excavation, materials, backfill with flowable fill, all labor and equipment as shown in the plans and specifications for the unit price of <u> </u> Dollars and <u> </u> Cents/LF	\$ _____	\$ _____

BID PROPOSAL
(Cont'd)

33.

300 SY

Provide and Install Select Fill Material (as approved By Owner), 24" depth, including disposal of existing material, compaction, traffic control, excavation, materials, all labor and equipment as shown in the plans and specifications for the unit price of

_____ Dollars and

_____ Cents/SY

\$ _____

\$ _____

TOTAL OF ITEMS 28-33

\$ _____

BID PROPOSAL SUMMARY SHEET

DRAUGHN STREET (ITEMS 1-8) TOTAL \$ _____

HASTINGS CROSSING (ITEMS 9-20) TOTAL \$ _____

MANOR WAY (ITEMS 21-28) TOTAL \$ _____

OLD BOYD RD (ITEMS 29-33) TOTAL \$ _____

TOTAL BASE BID: \$ _____

Notes:

Other incidental items required to complete the project as noted in the plans and specifications shall be considered subsidiary to the bid items. Traffic Control shall be performed by the contractor to maintain a passable lane during construction unless other detours are approved by the City. Sawcutting of pavements to ensure clean transition from existing to new shall be performed. The contractor shall notify TWU to obtain meter for fire hydrant for watering of street and pay all expenses and fees for water. Spoil materials shall be removed and hauled off by the contractor.

Upon stabilization and compaction of road base the contractor shall promptly plan to install prime coat and asphalt pavement. Damages to roadbed due to exposure to weather shall be repaired at the contractor's expense.

